

*fitnessseries*

*Stamina*

Hydro Spa  
Fitness Series  
Stamina



With room for several adults, this spa will bring relief and satisfaction to all who use it.

It's easy to install, maintain, and use. With plenty of jets all in just the right place to reach your aching neck, your sore back, your tired muscles.

Every use brings you pleasure and relaxation. Enjoy it alone or with others. Either way, you'll probably use it often!

Features/Benefits

Hydro Spa Specifications

Hydro Spa series	Model Name
Fitness	Stamina
Dimensions	70" x 75" x 30"
Seating Capacity and Design	Five adults 4 Total Therapy Bench seats 1 Lounge Seat
Dry Weight –Full Weight (average fill)	425 lbs – 2300 lbs (allow a 100 lb per Sq. Ft. Load)
Water Capacity	225 U.S. Gallons
Electrical Requirements	120V/240V, 40Hz/60Hz, 20/50 AMP 4 wire G.F.C.I
Construction Details	Self-Contained Portable Spa, Indoor / Outdoor, Free Standing unit.
Shell Material	Poseidonite™ Cast Acrylic Reinforced Lucite™

Spa Bottom Material	Stay-Tuff™ Spa Pedestal Base (maintenance free)
Topside Control System	Electronic Control
Water Distribution System	Hydro-Blast™ Manifold Plumbing with Sweep 90
Filtration System	Dyno-Flo Skim Filter
Hot Tub Cabinet Panel	Maintenance Free Cabinet
Hot Tub Cover	ASTM Manually Operated Safety Cover

### Jet Configuration

Size, Type and Quantity of Jets Total = 15 Jets 15 Hydrotherapy Water Jets	8 Maxi Storm Jets 4 Mini Storm Jets 3 Directional Laser Jets
Water Pump System	One High Flow Rate motor with a two inch wet end and plastic impellers on motor mounts bolted to Stay-Tuff™ Base
Diverter Valve	1 Therapy Control Diverter Valve
Lighting	Underwater Colored Lighting
Water Purification System	Hydro-Pure™ Ozone Water Management System
Transitional Water Heating system	1.5 to 5.5kw Hi-Flo Full Immersion Electronic Thermostat
Cabinet Insulation System	Arctic-Heat™ Co-Generated Thermal Insulation
Freeze Protection Plumbing	Auto Freeze protection for all pumps and tubing

### Warranty

Structural	Lifetime against shell leakage
Shell Surface	Five Years excluding normal wear and tear
Manifold Plumbing System	One year on parts against leakage
Electrical Spa Pack and Components	One year (extended warranties available)
On site Labor	90 days (extended warranties available)

### Standard Safety Features

Underwater Decorative Lighting	ASTM Manual operated safety cover
Safety Suction Fittings	Safe entry Hot Tub step

### Options

Premium Cover Lifter	Deluxe Dura Step
Premium Spa Umbrella	

