

Mark III

Omni

Hydro Spa

Mark III

Omni



This spa is great for the growing family or the group of friends that enjoy luxury and pampering in the finest spa. Hydro Spa has the spa to meet all your demands and desires.

Features/Benefits

Hydro Spa series

Mark III

Seating Capacity and Design

Dry Weight –Full Weight (average fill)

Water Capacity

Electrical Requirements

Construction Details

Shell Material

Spa Bottom Material

Topside Control System

Hydro Spa Specifications

Model Name

OmniDimensions 91x91x34

Six adults

2 Back Master seats

2 Total Therapy seats

1 Shoulder Therapy Seat

1 Cool Down Seat

805 lbs – 3725 lbs (allow a 100 lb per Sq. Ft. Load)

350 U.S. Gallons

240V 60Hz, 50 AMP 4 wire G.F.C.I.

Self-Contained Portable Spa, Indoor / Outdoor, Free Standing unit.

Poseidonite™ Cast Acrylic Reinforced Lucite™

Stay-Tuff™ Spa Pedestal Base (maintenance free)

LCD Digital Control with Auxiliary controller

Water Distribution System	Hydro-Blast™ Manifold Plumbing with Sweep 90
Filtration System	Self Adjusting Weir Open basket Filtration
Hot Tub Cabinet Panel	Maintenance Free Cabinet
Hot Tub Cover	ASTM Manually Operated Locking Safety Cover

Jet Configuration

Size, Type and Quantity of Jets Total = 67 Jets 55 Hydrotherapy Water Jets 10 Aromatherapy Infusion	1 Volcano Jet 29 Tornado Jets 20 Mini Storm Jets 4 Laser Jets	1 Maxi Storm Jet 10 Aromatherapy 1 Wall Fitting Jet 1 Ozone System Jet
Water Pump System	Two x High Flow Rate 56 Frame motors with two inch wet end and plastic impellers on motor mounts bolted to Stay-Tuff™ Base	
24 hour Circulation Pump	1hp Silent Sentry Circulation Pump	
Air Regulators	4 Turbo Air Regulators	
Waterfalls	1 Cascading Waterfall	
Comfort Design Pillows	5 Custom Molded Removable Pillows	
Aromatherapy	Canister aromatherapy Infusion System	
Lighting	LED Colored Mood Lighting	
Water Purification System	Hydro-Pure™ Ozone Water Management System	
Water Heating system	4kw Hi-Flo Full Immersion Electronic Thermostat	
Cabinet Insulation System	Arctic-Heat™ Co-Generated Thermal Insulation	
Freeze Protection Plumbing	Auto Freeze protection for all pumps and tubing	

Warranty

Structural	Lifetime
Shell Surface	Ten Years prorated
Manifold Plumbing System	Lifetime
Electrical Spa Pack and Components	Two Years (extended warranties available)
Labor	Two Years (extended warranties available)

Standard Safety Features

Underwater Decorative Lighting	ASTM Manual operated locking safety cover
Dual Safety Suction Fittings	Safe entry Hot Tub step

Options

JBL Marine AM/FM/CD Stereo with dual pop-up speakers	Deluxe Dura Step
Premium Cover Lifter	Premium Spa Umbrella

